

# NANDA nursing diagnosis list 2015 - 2017

### www.health-conditions.com

















NANDA stands for North American Nursing Diagnosis Association. This organization was founded in 1982 for the purpose of standardizing the nursing terminology. The organization develops, researches, disseminates and refines the nomenclature, criteria, and taxonomy of nursing diagnoses.

This article contains the complete **NANDA nursing diagnosis** list 2015-2017. This list is an update the oldest **NANDA nursing diagnosis list** 2012-2014. This last edition of **NANDA nursing diagnosis** contains 235 nursing diagnoses where 26 of them are newly introduced, and 16 are revised diagnoses.

NANDA nursing diagnosis list 2015-2017

**Domain 1: health Promotion** 

Class 1. Health awareness

Deficient diversional activity

Sedentary lifestyle

Class 2. Health management

• Frail elderly syndrome

Risk for frail elderly syndrome

Deficient community

Risk-prone health behavior

Ineffective health maintenance

Ineffective health management

• Readiness for enhanced health management

• Ineffective family health management

Noncompliance

Ineffective protection

**Domain 2: nutrition** 

**Class 1. Ingestion** 





- Insufficient breast milk
- Ineffective breastfeeding
- Interrupted breastfeeding
- Readiness for enhanced breastfeeding
- Ineffective infant feeding pattern
- Imbalanced nutrition: less than body requirements
- Readiness for enhanced nutrition
- Obesity
- Overweight
- Risk for overweight
- Impaired swallowing

#### **Class 2. Digestion**

None at present time

#### Class 3. Absorption

None at present time

#### Class 4. Metabolism

- Risk for unstable blood glucose level
- Neonatal jaundice
- Risk for neonatal jaundice
- Risk for impaired liver function

#### Class 5. Hydration

- Risk for electrolyte imbalance
- Readiness for enhanced fluid balance
- Deficient fluid volume
- Risk for deficient fluid volume
- Excess fluid volume
- Risk for imbalanced fluid volume

## 0

#### For more visit health-conditions.com



#### **Domain 3: elimination and exchange**

#### **Class 1. Urinary function**

- Impaired urinary elimination
- Readiness for enhanced urinary elimination
- Functional urinary incontinence
- Overflow urinary incontinence
- Reflex urinary incontinence
- Stress urinary incontinence
- Urge urinary incontinence
- Risk for urge urinary incontinence
- Urinary retention

#### Class 2. Gastrointestinal function

- Constipation
- Risk for constipation
- Chronic functional constipation
- Risk for chronic functional constipation
- Perceived constipation
- Diarrhea
- Dysfunctional gastrointestinal motility
- Risk for dysfunctional gastrointestinal motility
- Bowel incontinence

#### **Class 3. Integumentary function**

None at this time

#### **Class 4. Respiratory function**

• Impaired gas exchange

#### **Domain 4: activity/rest**

## **(**

#### For more visit health-conditions.com



#### Class 1. Sleep/rest

- Insomnia
- Sleep deprivation
- Readiness for enhanced sleep
- Disturbed sleep pattern

#### Class 2. Activity/exercise

- Risk for disuse syndrome
- Impaired bed mobility
- Impaired physical mobility
- Impaired wheelchair mobility
- Impaired sitting
- Impaired standing
- Impaired transfer ability
- Impaired walking

#### Class 3. Energy balance

- Fatigue
- Wandering

#### Class 4. Cardiovascular/pulmonary responses

- Activity intolerance
- Risk for activity intolerance
- Ineffective breathing pattern
- Decreased cardiac output
- Risk for decreased cardiac output
- Risk for impaired cardiovascular function
- Risk for ineffective gastrointestinal perfusion
- Risk for ineffective renal perfusion
- Impaired spontaneous ventilation
- Risk for decreased cardiac tissue perfusion





- Risk for ineffective cerebral tissue perfusion
- Ineffective peripheral tissue perfusion
- Risk for ineffective peripheral tissue perfusion
- Dysfunctional ventilatory weaning response

#### Class 5. Self-care

- Impaired home maintenance
- Bathing self-care deficit
- Dressing self-care deficit
- Feeding self-care deficit
- Toileting self-care deficit
- Readiness for enhanced self-care
- Self-neglect

#### **Domain 5: Perception/Cognition**

#### **Class 1. Attention**

Unilateral neglect

#### Class 2. Orientation

None at this time

#### Class 3. Sensation/perception

None at this time

#### **Class 4. Cognition**

- Acute confusion
- Risk for acute confusion
- Chronic confusion
- Labile emotional control
- Ineffective impulse control





- Deficient knowledge
- Readiness for enhanced knowledge
- Impaired memory

#### **Class 5. Communication**

- Readiness for enhanced communication
- Impaired verbal communication

#### **Domain 6: self-Perception**

#### Class 1. Self-concept

- Readiness for enhanced hope
- Hopelessness
- Risk for compromised human dignity
- Disturbed personal identity
- Risk for disturbed personal identity
- Readiness for enhanced self-concept

#### Class 2. Self-esteem

- Chronic low self-esteem
- Risk for chronic low self-esteem
- Situational low self-esteem
- Risk for situational low self-esteem

#### Class 3. Body image

Disturbed body image

#### **Domain 7: role relationships**

#### Class 1. Caregiving roles

- Caregiver role strain
- Risk for caregiver role strain

## 0

#### For more visit health-conditions.com



- Impaired parenting
- Readiness for enhanced parenting
- Risk for impaired parenting

#### Class 2. Family relationships

- Risk for impaired attachment
- Dysfunctional family processes
- Interrupted family processes
- Readiness for enhanced family processes

#### Class 3. Role performance

- Ineffective relationship
- Readiness for enhanced relationship
- Risk for ineffective relationship
- Parental role conflict
- Ineffective role performance
- Impaired social interaction

#### **Domain 8: sexuality**

#### Class 1. Sexual identity

None at present time

#### **Class 2. Sexual function**

- Sexual dysfunction
- Ineffective sexuality pattern

#### **Class 3. Reproduction**

- Ineffective childbearing process
- Readiness for enhanced childbearing process
- Risk for ineffective childbearing process





Risk for disturbed maternal–fetal dyad

#### **Domain 9: Coping/stress tolerance**

#### Class 1. Post-trauma responses Post-trauma syndrome

- Risk for post-trauma syndrome
- Rape-trauma syndrome
- Relocation stress syndrome
- Risk for relocation stress syndrome

#### **Class 2. Coping responses**

- Ineffective activity planning
- Risk for ineffective activity planning
- Anxiety
- Defensive coping
- Ineffective coping
- Readiness for enhanced coping
- Ineffective community coping
- Readiness for enhanced community coping
- Compromised family coping
- Disabled family coping
- Readiness for enhanced family coping
- Death anxiety
- Ineffective denial
- Fear
- Grieving
- Complicated grieving
- Risk for complicated grieving
- Impaired mood regulation
- Readiness for enhanced power
- Powerlessness
- Risk for powerlessness





- Impaired resilience
- Readiness for enhanced resilience
- Risk for impaired resilience
- Chronic sorrow
- Stress overload

#### Class 3. Neurobehavioral stress

- Decreased intracranial adaptive capacity
- Autonomic dysreflexia
- Risk for autonomic dysreflexia
- Disorganized infant behavior
- Readiness for enhanced organized infant behavior
- Risk for disorganized infant behavior

#### **Domain 10: life Principles**

#### Class 1. Values

None at this time

#### Class 2. Beliefs

Readiness for enhanced spiritual well-being

#### Class 3. Value/belief/action congruence

- Readiness for enhanced decision-making
- Decisional conflict
- Impaired emancipated decision-making
- Readiness for enhanced emancipated
- Decision-making
- Risk for impaired emancipated decision-making
- Moral distress
- Impaired religiosity
- Readiness for enhanced religiosity





- Risk for impaired religiosity
- Spiritual distress
- Risk for spiritual distress

#### **Domain 11: safety/Protection**

#### **Class 1. Infection**

Risk for infection

#### Class 2. Physical injury

- Ineffective airway clearance
- Risk for aspiration
- Risk for bleeding
- Risk for dry eye
- Risk for fallsRisk for injury
- Risk for corneal injury
- Risk for perioperative positioning injury
- Risk for thermal injury
- Risk for urinary tract injury
- Impaired dentition
- Impaired oral mucous membrane
- Risk for impaired oral mucous membrane
- Risk for peripheral neurovascular dysfunction
- Risk for pressure ulcer
- Risk for shock
- Impaired skin integrity
- Risk for impaired skin integrity
- Risk for sudden infant death syndrome
- Risk for suffocationDelayed surgical recovery
- Risk for delayed surgical recovery
- Impaired tissue integrity
- Risk for impaired tissue integrity





- Risk for trauma
- Risk for vascular trauma

#### Class 3. Violence

- Risk for other-directed violence
- Risk for self-directed violence
- Self-mutilation
- Risk for self-mutilation
- Risk for suicide

#### Class 4. Environmental hazards

- Contamination
- Risk for contamination
- Risk for poisoning

#### Class 5. Defensive processes

- Risk for adverse reaction to iodinated contrast media
- Risk for allergy response
- Latex allergy response
- Risk for latex allergy response

#### **Class 6. Thermoregulation**

- Risk for imbalanced body temperature
- Hyperthermia
- Hypothermia
- Risk for hypothermia
- Risk for perioperative hypothermia
- Ineffective thermoregulation

#### **Domain 12: Comfort**

#### Class 1. Physical comfort





- Impaired comfort
- Readiness for enhanced comfort
- Nausea
- Acute pain
- Chronic pain
- Labor pain
- Chronic pain syndrome

#### Class 2. Environmental comfort

- Impaired comfort
- Readiness for enhanced comfort

#### Class 3. Social comfort

- Impaired comfort
- Readiness for enhanced comfort
- Risk for loneliness
- Social isolation

#### **Domain 13: growth/Development**

#### Class 1. Growth

Risk for disproportionate growth

#### Class 2. Development

Risk for delayed development

#### Nursing Diagnoses accepted for Development and Clinical Validation 2015–2017

Disturbed energy field